


Winkelkabelschuhe 90° DIN

- **Werkstoff: 99,9% Elektrolyt-Kupfer, geglähtes Material**
- **Rohrabmessung nach DIN 46235**
- **Oberfläche: verzinkt**
- **Pressmarkierung**



Cu

Art. Nr.	LQ	M	KZ	d2	d1	d4	A	v1	v2	B	c1	c2	kg/100	VE
291700	6	5	5	5,3	3,8	5,5	10,0	2	-	8,5	6,5	9,0	0,400	100
291702		6	5	6,4	3,8	5,5	10,0	2	-	8,5	7,5	10,0	0,300	100
291704	10	5	6	5,3	4,5	6,0	10,0	2	-	9,0	7,0	10,0	0,400	100
291706		6	6	6,4	4,5	6,0	10,0	2	-	9,0	7,5	10,0	0,500	100
291708		8	6	8,4	4,5	6,0	10,0	2	-	13,0	10,0	13,0	1,100	100
291710	16	6	8	6,4	5,5	8,5	20,0	2	1	13,0	7,5	11,0	1,200	50
291712		8	8	8,4	5,5	8,5	20,0	2	1	13,0	10,0	13,0	1,100	50
291714		10	8	10,5	5,5	8,5	20,0	2	1	17,0	12,0	15,0	1,200	50
291716		12	8	13,0	5,5	8,5	20,0	2	1	18,0	13,0	18,0	1,200	50
291718	25	6	10	6,4	7,0	10,0	20,0	2	1	14,0	7,5	11,0	1,500	50
291720		8	10	8,4	7,0	10,0	20,0	2	1	16,0	10,0	13,0	1,500	50
291722		10	10	10,5	7,0	10,0	20,0	2	1	17,0	12,0	15,0	1,500	50
291724		12	10	13,0	7,0	10,0	20,0	2	1	19,0	13,0	18,0	1,500	50
291726	35	8	12	8,4	8,2	12,5	20,0	2	1	17,0	10,0	13,0	2,600	25
291728		10	12	10,5	8,2	12,5	20,0	2	1	19,0	12,0	15,0	2,900	25
291730		12	12	13,0	8,2	12,5	20,0	2	1	21,0	13,0	18,0	2,900	25
291732	50	8	14	8,4	10,0	14,0	28,0	3	1	20,0	10,0	16,0	4,100	25
291734		10	14	10,5	10,0	14,0	28,0	3	1	22,0	12,0	16,0	4,200	20
291736		12	14	13,0	10,0	14,5	28,0	3	1	24,0	13,0	18,0	4,500	20
291738		16	14	17,0	10,0	14,5	28,0	3	1	28,0	16,0	22,0	4,100	20
291740	70	8	16	8,4	11,5	16,5	28,0	3	1	24,0	10,0	14,0	5,400	30
291742		10	16	10,5	11,5	16,5	28,0	3	1	24,0	12,0	16,0	5,500	30
291744		12	16	13,0	11,5	16,5	28,0	3	1	24,0	13,0	18,0	6,000	15
291746		16	16	17,0	11,5	16,5	28,0	3	1	30,0	16,0	22,0	5,600	30
291748	95	10	18	10,5	13,5	19,0	35,0	4	2	28,0	12,0	17,0	8,400	10
291750		12	18	13,0	13,5	19,0	35,0	4	2	28,0	13,0	18,0	8,700	10
291752		16	18	17,0	13,5	19,0	35,0	4	2	32,0	16,0	22,0	8,700	10
291754	120	10	20	10,5	15,5	21,0	35,0	4	2	32,0	15,0	17,0	10,000	20
291756		12	20	13,0	15,5	21,0	35,0	4	2	32,0	16,0	18,0	10,000	20
291758		16	20	17,0	15,5	21,0	35,0	4	2	32,0	18,0	22,0	10,200	20
291760		20	20	21,0	15,5	21,0	35,0	4	2	38,0	21,0	24,0	9,800	15
291762	150	10	22	10,5	17,0	23,5	35,0	4	2	34,0	15,0	17,0	13,100	15
291764		12	22	13,0	17,0	23,5	35,0	4	2	34,0	16,0	18,0	13,200	15
291766		16	22	17,0	17,0	23,5	35,0	4	2	34,0	19,0	22,0	14,100	15
291768		20	22	21,0	17,0	23,5	35,0	4	2	40,0	21,0	24,0	13,700	10
291770	185	10	25	10,5	19,0	25,5	40,0	4	2	37,0	15,0	22,0	16,400	10
291772		12	25	13,0	19,0	25,5	40,0	4	2	37,0	16,0	22,0	15,600	10
291774		16	25	17,0	19,0	25,5	40,0	4	2	37,0	19,0	22,0	18,600	10
291776		20	25	21,0	19,0	25,5	40,0	4	2	40,0	21,0	24,0	17,500	10
291778	240	12	28	13,0	21,5	29,0	40,0	5	2	42,0	16,0	22,0	22,400	10
291780		16	28	17,0	21,5	29,0	40,0	5	2	42,0	19,0	22,0	22,900	10
291782		20	28	21,0	21,5	29,0	40,0	5	2	45,0	21,0	24,0	21,000	10